

# Ferst Center for the Arts Technical Specifications

(Revised August 2023)

# **Office of the Arts Contacts:**

Office of the Arts, Georgia Tech 349 Ferst Drive NW Atlanta, GA 30332-0468

Administrative Office: 404-894-2787

Box Office: 404-894-9601 Fax: 404-894-9864

#### **Space Availability and Rental Inquiries**

Event Coordinator:	Adriana Rosario Pérez	404-385-4684	adriana.perez@arts.gatech.edu
--------------------	-----------------------	--------------	-------------------------------

#### **Production and Technical Questions**

Production Manager:	Paul Cottongim	404-385-1923	paul.cottongim@arts.gatech.edu
Operations & Programming Manager:	Britt Mahan	404-385-2288	britt.mahan@arts.gatech.edu

## Office of the Arts Staff

Interim Director:	Nathalie Matychak	404-894-9196	nathalie.matychak@arts.gatech.edu
Assistant Director:	-	-	-
Patron & Event Services Coordinator:	Andrea Mullen	404-894-9200	andrea.mullen@arts.gatech.edu
Box Office Manager:	Holley Mitchell	404-894-2864	holley.mitchell@arts.gatech.edu

# Space Rental Inquiries can also be made online at <a href="https://arts.gatech.edu/rental-request">https://arts.gatech.edu/rental-request</a>

The Ferst Center for the Arts is a newly renovated 889 seat multipurpose theater built in the Spring of 1992 with a proscenium stage, hydraulic orchestra lift, sprung wooden stage floor, and fly tower. The lobby features a box office and a large open space well-suited to accommodate pre-and post-show audiences, and for hosting parties/events.

# **Administrative Logistics**

#### **Personnel and Show Call**

- 1. All employees of Georgia Tech report directly to the appropriate Georgia Tech staff at all times and will work as Georgia Tech deems appropriate under the guidance of the Client representative
- 2. All Ferst Center personnel will be determined by the Ferst Center's Operations Department, in conformance and dialog with the Client.

#### Front of House

- 1. House Opening. Notwithstanding unanticipated significant delays and problems with pre-performance technical rehearsals and associated lighting and sound checks, Georgia Tech will open the house thirty (30) minutes before the advertised performance time. This schedule for house opening will be followed even if the appropriate sound/lighting checks and technical activities have not all been fully completed.
- 2. Start Times. The engagement will start no later than fifteen (15) minutes past publicly announced starting time, except by mutual agreement.
- 3. Georgia Tech may play a prerecorded announcement to advise the audience of safety requirements and to reinforce Georgia Tech photography, cell phone, pager and recording restrictions.
- 4. Late Seating. Audience members arriving late for performances will be seated at the House Managers discretion (typically at an appropriate interval in the program), unless otherwise discussed or determined by Georgia Tech and the client.
- 5. Emergency or Audience Hazard. In the event of an emergency or audience hazard, Georgia Tech shall have the exclusive right to bring up the house lights and/or to take any other action which Georgia Tech, at its sole discretion, deems necessary to assure the audience's comfort and/or safety.
- 6. Collections on Premises. No collections, donations, or solicitations of goods of any kind, whether for charity or otherwise, shall be made or attempted on Georgia Tech premises by the client or its representatives without first obtaining written permission from Georgia Tech.
- 7. The Ferst Center's Box Office is located in the center of the lobby. The Ferst Center uses the Audience View ticketing system and accepts all major credit cards. The Box Office opens sixty minutes before the contractual start time of the event and closes an hour after the listed start time or, if there is an intermission, after intermission. Unless otherwise specified, a box office manager and staff will be provided.

# **Technical Equipment and Logistics**

The Client agrees to work within existing inventory of the theater, as described in the facility's Technical Specifications (below). Including but not limited to: **Soft Goods, Lighting and Special Effect Equipment, Audio and PA systems and Rigging Equipment.** Any additional equipment requested by the Client must be rented from a Vendor by the Client and coordinated with the Production manager.

#### **Equipment Safety**

- The Client shall ensure that all equipment used in its performance shall comply with all applicable OSHA, NEC, NFPA
  and BOCA regulations and shall be operated in accordance with those standards or, where there are no recognized or
  local standards, shall be operated in accordance with the best and safest professional practice in the performing arts
  industry. The Client shall ensure that all scenic units and decorations are effectively flame-proofed and properly
  certified by an appropriate certificate of flame-proofing. A copy of this certificate shall be forwarded to Georgia Tech
  prior to the performance.
- Georgia Tech shall retain exclusive rights to determine the location of sound equipment and control boards and to
  determine acceptable sound pressure and audio quality for all amplified productions in its venues. Final sound quality
  and volume throughout the performance will be judged by ear by a representative of Georgia Tech rather than by
  data provided by test equipment.
- 3. Georgia Tech shall have the right to refuse permission for the use and/or operation of any construction, property or effect which in its judgment might endanger artists, audiences, employees, facilities or equipment and, where it deems necessary for reasons of safety, to make necessary modifications and to invoice the Client and obtain immediate payment for the cost of such modifications.
- 4. The Client shall make no alterations, repairs, or improvements to Georgia Tech's theatrical/performance spaces, equipment, rigging, and facilities without Georgia Tech's express written approval, which Georgia Tech may withhold in its sole discretion.

#### **Technical Specifications**

The theater is equipped with a single purchase counterweight fly system with 44 line sets spaced 8 inches apart located on Stage Left with the loading bridge 55 feet above stage level. The arbors are capable of handling up to 1200 lbs. Please refer to the line set schedule in regards to lines that contain orchestra shell clouds and permanent electric raceways. These items are not moveable. There is no walkable grid. Rigging personnel are necessary for any points that need to be rigged from the grid area at the expense of the renter.

#### **STAGE DIMENSIONS:**

- HEIGHT to proscenium 19'6" ft. HEIGHT to grid 60 ft
- Out-trim 53 ft. HEIGHT to loading bridge (SL) 50 ft
- DEPTH to plaster line 34 ft DEPTH to downstage edge 37 ft
- DEPTH to edge of pit 51 ft (When pit is at stage level)
- WIDTH of proscenium 51 ft
- WIDTH wall to wall 80 ft
- SR wing to wall 12 ft
- SL wing to rail 10 ft

#### **SPECIFICS OF STAGE**

- 34' D backstage wall to plaster line, 52' D with orchestra pit to stage level
- 51'5" W x 19'6" H proscenium opening
- 80' stage width from SR wall to SL fly rail.
- Hydraulic orchestra pit accommodates 45 players, 7' range from stage level, curved lip 52' from stage back wall, portable railing with drape
- 60' fly tower (53' travel) with 40 line sets
- Nonstandard steel fly grid 4' x 12' on center (not a walkable grid)
- Loading bridge 60' from floor SL
- 18' overhead door access to stage right
- 12' overhead door access from 2 truck loading dock
- 1 catwalk lighting position crossovers
- 2 follow spot platforms to the left and right corners of the theater
- Enclosed lighting/projection booth
- House audio mix position at rear, house left center
- Clearcom & Telex intercom system throughout facility accessible by wired stations at audio, follow spots lighting/projection booth, rail, and Stage Manager's panel and an additional 4 wireless units

#### **MISCELLANEOUS EQUIPMENT**

- 15' x 20' Front projection screen (125' throw from booth)
- Custom orchestra shell, rear and overhead with lighted clouds
- Steinway 9' Concert Grand piano
- Marley dance floor
- 8 Wenger Versalite 5000 risers with optional 8", 12" or 16" legs
- GENIE Personnel lift AWP30 (30ft maximum extension)

#### **LIGHTING EQUIPMENT**

The Ferst Center for the Arts contains a state of the art dimmer per circuit lighting system comprised of 276 ETC Sensor 2.4k dimmers, an ETC Ion control console and Source 4 instruments. The lighting and audiovisual booth is located center of the house at the rear of the theater approx. 125' from the stage. Spotlight positions are to the extreme left and right of the booth in the corners of the theater accessible by the cat walk system.

#### LIGHTING CONTROL

[1] ETC Ion

#### DIMMING

[176] ETC Sensor 2.4k Dual Dimmer modules

#### **INVENTORY**

[44] ETC Source Four PARNels (575w)

[20] ETC Source Four PARS (575w)

[15] ETC Source Four (575w, 19 degrees)

[40] ETC Source Four (575w, 26 degrees)

#### **HARDWARE**

[42] Side Arms 12" - 18"

[8] 10' Boom Pipes

[8] 50 LB Bases

[45] ETC Source Four (575w, 36 degrees)

[5] ETC Source Four (575w, 50 degrees)

[6] Altman Sky Cyc (3 cell, 1k each)

[2] Lycian Starklite II 1.2k HMI Spotlight

[8] 4' Pipe extensions with couplers

120' of bottom pipe

#### **ELECTRICAL HOOKUPS**

400a Company Switch, 3phase 208v located downstage right wall

100a Audio panel, 3phase 208v located upstage left wall

400a Company Transfer Switch, 3 phase 208v located mid-stage right in dock (When in use, this disables circuits 97-192 onstage overhead only. All other circuits are still useable.)

#### **AUDIO EQUIPMENT**

#### **FOH Console:**

- Digico SD9
- Stage Analog I/O: 64 inputs, 16 outputs

## Playback:

- Computer: Qlab 4 (Supported audio formats: aac, ac3, aifc, aiff, au caf, mp3, mp4, m4a, sd2, wav)
- CD: Tascam CD-01U

#### **Line Arrays:**

(16) Meyersound M2D (Stereo configuration, (8) elements per side)

#### Front Fill:

(4) Meyer M1D (available upon request)

#### **Subwoofers:**

(2) EV XSUB (Dual 18")

#### **Monitors:**

(8) Meyersound MJF-212A

#### **MICROPHONES:**

#### AKG:

- (2) C 414
- (3) C 451
- (2) D 112

#### DPA:

(3) SC 4098

Radial/DIs

• (8) J48

#### Shure:

- (1) Beta 52
- (2) Beta 57
- (4) Beta 58
- (2) KSM 32
- (5) SM 57
- (8) SM 58
- (1) SM 81

# **Wireless Microphone System:**

# **Shure Axient Digital**

#### Transmitters:

- (8) Shure AD2/B58, Handheld
- (8) Shure AD1, Bodypack

# **Bodypack Elements:**

- (8) Countryman b6, Lavalier
- (8) Countryman e6, Earset

#### Receivers:

(2) Shure AD4QUS

#### Mic Stands:

- (10) Tall Boom, Triangle Base, Heavy-Duty
- (2) Short Boom, Round Base
- (3) Short Boom, Tripod Base
- (6) Straight Stand, Round Base
- (4) Tabletop Stand, Round Base
- (3) LP Claw

# **Digital Signal Processing:**

- (1) Meyersound Galaxy 408 (Line Array Processing)
- (1) Meyersound Galileo 408 (Subwoofer, Front-Fill Processing)
- (2) BSS BLU-806DA (Zone Processing)

#### **Analog/Digital Conversion:**

- (1) RME M-32DA PRO
- (1) RME M-32DA
- (1) Focusrite D64R
- (2) Digico Little Red Box

#### **Supported Audio Trasmission Formats:**

- MADI: (64x64)
- Dante: (64x64)
- AVB: (32x32)
- AES/EBU: (4x4, FOH only)

#### **VIDEO**

[1] Projector: Barco UDX-4K32

[1] Screen: Screen Innovations: 24' W x 15' H / 339" diagonal, Zero Edge Pro, Slate XL, small bezel.

#### **SOFT GOODS**

[5 pair] Black Velour Legs: 25oz FLAT 24'H x 12'W [4] Black Velour Borders: 25oz FLAT 10'H x 60'W

[1] Black Sharktooth Scrim:  $24^{\circ}H \times 60^{\circ}W$  w/ bottom pipe.

[1] White seamless CYC: 24'H x 60'W w/ bottom pipe.


[1] Blackout Curtain: 24'H x 60'W 50% fullness,

[1] Mid-Stage Black Traveler: 24'H x 60'W 50% fullness.


[1] Grand Drape: 30oz, Deep Bermuda Blue Velour, guillotine only, 26'H x 60'W w 50% fullness

[1] Valance: 30oz, Deep Bermuda Blue Velour 10'H x 60' W

# **STAGE WITH DIMENSIONS**



# LOBBY WITH FURNITURE



Main Entrance

FERST CENTER FOR THE ARTS AT GEORGIA TECH Standard Lobby Diagram September 01, 2019

<sup>\*</sup>On all square tables, please make sure wood grain is following the direction of the floor.
\*\* The dashed line indicates the general location of the curtain line.

